

Bi-directional, electro-mechanical tripod turnstile

SPOGLARIUM SAUNA

Easy, functional passage selection

CAME's new Twister turnstile is designed for passage selection in high-traffic areas. Its stainless steel construction makes it ideal for marine, subway and railway stations; plus sports facilities areas and wherever people flows need to be regulated, while optimising entrance and exit operations.



Twister

Twister is Came's durable and functional solution suitable for any transit selection, control and requirements. Installable anywhere, even in high-volume flow settings such as stadiums, subway stations, public buildings and sports facilities.

Managed by a built-in control board, Twister is perfectly compatible with Came's RBM84 or RBM21 evolved access control systems.



Came's new pedestrian entrance turnstile





Made of AISI304 scotch-brite finished stainless steel with a removable cover and key lock.



Made of AISI304 polished, stainless

The inner mechanism.

Equipped with an adjustable hydraulic cushion, control logic, and an automatic release function for the tripod during blackouts.

The selective, bi-directional movement.

It lets you choose the entrance direction in the following way: ENTRANCE, EXIT or only ENTRANCE / EXIT.

Functions

The built-in control board manages one turnstile and provides the following functions:

> ENTRANCE and EXIT commands

They clear the entrance for user passage - the tripod automatically blocks itself after passage, or reset timed closing, with lack of passage.

> BLOCK command

It overrides entrance and exit com-

> The EMERGENCY command

It overrides all other commands, including the block command. (i.e. opening during emergencies)

> Integration with access control systems

CAME's RBM21 and RBM84 access control systems, can be fully integrated with our Twister turnstile, yielding a complete transit control system.



To integrate the access control system (optional).


The lateral casings.


Made of AISI304 stainless steel, and are removable for easy installation and wiring purposes.


Technical features

Туре	Twister
Power supply (V)	230 A.C.
Device Power supply (V)	24 D.C.
Current draw (A)	2,5
Operating temperature (°C)	-20 ÷ +55
Weight (Kg)	60

Dimensions











Came cancelli automatici s.p.a.

via Martiri della Libertà, 15 31030 Dosson di Casier - Treviso - Italy

www.came.it - info@came.it

